Collaborative filtering based on subsequence matching: a new approach

A. Bellogín; P. Sánchez Pérez

Abstract-

Neighbourhood-based techniques, although very popular in recommendation systems, show different performance results depending on the specific parameters being used; besides the neighbourhood size, a critical component of these recommenders is the similarity metric. Therefore, by considering more information associated to the users – such as taking into account the ordering of the items as they were consumed or the whole interaction pattern between users and items – it should be possible to define more complete, and better performing, similarity metrics for collaborative filtering. In this paper, we propose a technique to compare users – also extendable to items –, working with them as sequences instead of vectors, hence enabling a new perspective to analyse the user behaviour by finding other users who have similar sequential patterns instead of focusing only on similar ratings in the items. We also compare our approach with other well-known techniques, showing comparable or better performance in terms of rating prediction, ranking evaluation, and novelty and diversity metrics. According to the results obtained, we believe there is still a lot of room for improvement, due to its generality and the good performance obtained by this technique.

Index Terms- Collaborative filtering; User similarity; Longest common subsequence; Interaction pattern

Due to copyright restriction we cannot distribute this content on the web. However, clicking on the next link, authors will be able to distribute to you the full version of the paper:

Request full paper to the authors

If you institution has a electronic subscription to Information Sciences, you can download the paper from the journal website: Access to the Journal website

Citation:

Bellogín, A.; Sánchez, P. "Collaborative filtering based on subsequence matching: a new approach", Information Sciences, vol.418-419, pp.432-446, December, 2017.